2023 Indiana
Engenia® Herbicide Checklist

Nozzle:
See *www.engeniatankmix.com* for a list of approved nozzles

Approved tank-mixes:
See *www.engeniatankmix.com*

Sensitive crops and residential areas:
DO NOT spray if wind is blowing toward neighboring sensitive crops (like non-dicamba-tolerant soybeans) or residential areas

Sensitive areas:
Leave 240' downwind buffer to sensitive areas (non-residential, uncultivated areas or bodies of water)

It is best to apply when the wind is blowing away from sensitive areas

Sensitive areas in endangered species counties:

Leave 310' downwind buffer in counties with endangered species with 57' buffer on all other sides of the field

Consult *www.epa.gov/espp* or call 1-844-447-3813 and follow any county specific dicamba use restrictions for corresponding endangered species

Wind speed:
Only spray when wind is between 3–10 MPH

Avoid inversions: DO NOT apply when temperature inversions exist at the field level

Daytime spraying: Only apply one hour after sunrise until two hours before sunset

Ground speed:
≤ 15 mph

Boom height:
≤ 24 inches above target

Record keeping:
Create records within 72 hours
Application parameters
Tank cleanout
Planting date
Buffer zone determination

Spray volume:
≥ 15 GPA

Additional IN restrictions:
Soybean – DO NOT apply after June 12 or V4 crop stage; whichever comes first

This summary is not a substitute for reading and following all product labeling. Engenia Herbicide is a US EPA Restricted Use Pesticide.

To learn more about Engenia Herbicide, visit EngeniaStewardship.com.

EVERY application of Engenia herbicide requires the use of an approved pH buffering adjuvant.

Engenia®
Herbicide

Always read and follow label directions.

Engenia is a registered trademark of BASF Corporation.
Copyright © 2023 BASF. All Rights Reserved.
APN# 1701014 Engenia-Checklist-FEB2023-IN

BASF
We create chemistry